


Operating the Easy Cocks (220 volt) is very simple but please note that for success in hatching operation you must first read the Manual Carefully.

General Notes:

- 
- Before putting eggs into the machine, it should work for 1-2 days to make sure that every parts work correctly.
 - If you do not have enough experience to use the machine, it is recommended, not to use expensive eggs. Start with some cheap eggs.
 - Do not install the machine outdoor and under direct sun light or wind.
 - The ideal temperature of the room is between 23-27 degrees, otherwise the output decreases.
 - When using air conditioning systems, make sure that the machine is not exposed to the warm or cold wind.
 - Enclosed and poorly ventilated spaces are not recommended. It will reduce efficiency.
- www.cksmachine.com
- There are some inlets under the machine to enter fresh air. Do not put the machine on the carpet or any floor covering those inlets.
 - Please note that the ventilation channel on the machine's door must be open all the time.

- During the hatching period (3last days) especially when some chicks have been hatched, do not open the machine's door.
- Do not manipulate the electronic systems.
- Ideal humidity of atmosphere is between 50-55 percent.

3 issues are involved in this process:

- 1- Egg incubator
- 2- Eggs
- 3- Operator

Do not use old eggs. maximum time of storage eggs is 7 days. also eggs must be stored in special condition.

Do not store eggs in refrigerator. the best temperature is 18 degrees and humidity is 55%. store them in dark places.

Temperature fluctuation of the environment should not be more than 4 degrees.

If the temperature fluctuation is more than 4 degrees, output decreases.

Before putting eggs in the machine, put them in a warm place for some hours (about 25 degrees) to prevent any shock.

To put the eggs in the machine, make sure that the eggs stand on their head.

Do not wash the eggs; clean them with a dry brush.

Do not use very big or small or abnormally shaped eggs.

Do the egg candling on the 7th and 14th nights and remove transparent eggs from the machine because they are without embryos and can cause the rest of the eggs be contaminated.

It is suggested that after each period, break the unsuccessful eggs and check out the reason. Note that if after 21 days, eggs still have albumen and yolk it means that they do not have sperm at all.

Do not use any chemical for cleaning the machine.

Incubation process definition:

Incubation process is divided to 2 periods of setter and hatch.

- During setter period, the egg is on the tray and turns. In this period the chick grows inside the eggs. Ideal temperature is 37.7 and ideal humidity is 55-65%.
- In hatch period, chick inside the egg is completed .in this period eggs must be put on the hatch basket. Hatch period for chicken eggs is 3 days.

Egg Candling:

For the diagnosis of fertilized eggs and also to ensure the growth of the embryo, do the egg candling on the 7th and 14th nights.

- 1-Do the egg candling in a dark room.
- 2- Do the egg candling in a warm room to prevent any shock.
- 3- Make sure that during egg candling the egg is not exposed to intense shaking.
- 4- Do the egg candling in the shortest time.

5- Remove the transparent eggs from the machine otherwise the rest of the eggs will be contaminated.

How can you do the candling?

While looking through eggs on seventh night, you must see blood vessels and black spots, otherwise remove transparent eggs.




On the 14th night, if you observe eggs, you must see most of the inside dark, otherwise remove transparent eggs again.

www.cocksmachine.com

Introduction of machine parts:

- 1- Body: it is made of ABS with 3 cm thickness insulation layer.
- 2- Controllers: A digital thermo controller with the precision of a tenth of a degree


One digital humidity controller with the precision of 1%.



While the inside temperature is lower than adjusted value, the thermostat green light is on and when the temperature reaches to the adjusted value, the green light off.

Note: the machine is adjusted in the factory. Do not change the setting.

3- Fan (blower):




Note: the machine's fan must work all the time .check the fan daily and make sure that it works properly.

www.cocksmachine.com
After each period clean the fan carefully.

There is a spare fuse in the package. The fuse must be 10A.



4- Mist maker (humidifier):



While the humidity is lower than 60% (adjusted value), the red light of the mist maker is on and it still works.

Note: due to water hardness in different areas, the guarantee does not include the mist maker.

Use distilled water because heavy and salty water causes deterioration of ultrasonic part.

Every few days pour some water in the water container and make sure that the water level is upper than mist maker metal tip.

5- Egg Candler: doing egg candling on the 7th and 14th nights.

6- Tray: this machine has 3 kinds of trays for all kind of bird eggs. You can watch the method of changing trays on the video.


Note: turning operation of the eggs cannot be seen easily. To make sure that the gearbox works, put your hand on it and you must feel its shake and warmth.

The machine has 3 shelves and each shelf has a separate gearbox.

The red light of the signals means that they are working.




Connect the gearboxes to the specified places



Gearbox's shaft must be in its place for turning the egg trays

If the shaft exits from its place,
Gearbox cannot turn the egg trays



www.cocksmachine.com

7- Water container:

It is washable and you can change it easily.

8- Artificial mother & recovery unit:

- On the 23rd or 24th day, when all chicks hatch, remove egg shells from the machine
- Install the drinkers.
- Install the recovery lamps in their places and bend them down to light the middle of the baskets.
- Empty the water container.
- Do not keep chicks inside the machine more than 4-5 days

On the 23rd or 24th day, when all chicks hatch, remove egg shells from the machine
Install the drinkers.
Install the recovery lamps in their places
and bend them down to
light the middle of the
baskets.
Empty the water container.
Do not keep chicks inside
the machine more than
4-5 days

في يوم ٢٣ أو ٢٤، عندما تفقس
جميع الكتاكيت، قم بإزالة قشور
البيض من الماكينة.
قم بتثبيت المساقى
قم بتثبيت مصابيح التعافيش في
مكائنها وثنيتها حتى منتصف السلة
يضوء .
قم بإفراغ حاوية الماء
لا تحافظ على الكتاكيت داخل
الجهاز أكثر من ٤-٥ أيام

www.cocksmachine.com

Installation:

- ❖ Put trays in the machine and connect the gearboxes.
- ❖ Pour some water in the water container and make sure the water level is upper than metal tip.
- ❖ Connect the electricity power and turn the machine on:
 - 1- All digital controllers must be on
 - 2- All the 3 signal lamps (gearboxes) must be on.
 - 3- The red light of the fan must be on and fan works.
 - 4- While the humidity is lower than 60%, the red light of the mist maker must be on and it works.

Note: the machine is adjusted in the factory, do not change the setting.

Note: before putting eggs in the machine, let it works for a day to make sure that every part works properly.

- ❖ Then put the eggs. Eggs must be stand on their head. Close the machine door and make sure that air cannot enter.

During the 18 days of setter, every 3 days pour water in the machine.

The ideal temperature inside the machine is 37.5 -37.7 degree and the ideal humidity inside the machine is 55-65%.

In the 7th and 14th nights, do the candling with considering all important notes.

www.cocksmachine.com

Hatching operation:

- Remove the trays from the machine.
- Put the eggs in the glass baskets.
- Pour water in the water container to make sure that there is no need to open machine door during rest of days.

Note: Operation of transferring eggs must be done in a warm room to prevent any shock.


- Close the machine door and do not open it during the 3 last days.

It suggested to open the door on the 2nd and 4th day, then take the chicks out, because with each opening and closing the door some chicks could die.


The humidity will rise while chicks hatching; in this case remove the plastic plug on the glass to remove the extra humidity.

The hatching of all chicks may extend to the 25th day.

After each period and before starting new period, make sure that all inlets in the front of the fan and on the top of the machine are open.



www.cocksmachine.com



Period of incubation	Poultry
21	chicken
28	Peacock
42	Ostrich
28-31	Goose
30	Swan
16-18	Pigeon
20-24	Pheasant
17-18	Quail
23-25	Partridge

www.cocksmachine.com